

# **1550 Optical Amplifier Power Supply**



## 1550 Optical Amplifier Power Supply



Dual Power Supply 1550 EDFA, Find Details and Price about Optical Amplifier EDFA from Dual Power Supply 1550 EDFA - Hangzhou Prevail Communication Technology Co., Ltd.



The Optilab SOA-1550-BP is a semiconductor optical amplifier with high fiber-to-fiber gain, designed to be used in general applications to increase optical launch power to compensate for loss of other ...



Designed for “Fiber Deeper” architectures, the Prisma 1550 nm Strand Mounted Optical Amplifier (SMOA) is a high-powered EDFA (erbium doped fiber amplifier) that extends the reach and ...



Delivered in a 19” 1RU rack mount housing with two hot-swappable power supply units, the Unifiber™ EDFA products are easy to integrate and guarantee that your signal distribution is always on.



This optical amplifier is packaged in a 19” rack mount housing to provide a complete optical communications solution. Maxcom offers our MXA-4100 platform which can be ordered with single or ...



It amplifies the 1550 nm optical signal producing an optical output power of 10 dBm. Based on EDFA (Erbium doped fiber) technology, it provides a high gain and a low noise factor.




Erbium doped fiber amplifier (EDFA) is a CATV professional device used to amplify and transmit 1550 nm optical signals in a cable television transmission system.



Provides a flexible and low-cost solution for triple play and fiber-to-user. YEDFA series is equipped with perfect APC, AGC, ATC control, good heat dissipation and ventilation design, to ensure the long life ...



Characterized by low noise and high linearity performance to meet the most demanding requirements of CATV and FTTH applications. Our high-power EDFA offers a flexible, low-cost solution for large area ...



SOA can operate at any wavelength for the 1550nm window and it is very suitable for use in 40G/100G signal amplifying. The devices are packaged in a butterfly package providing high coupling efficiency, ...



This manual is applicable to the HY-21-AM series optical amplifier which mainly describes the performance characteristics, technical parameters, installation, debugging, common fault processing ...



All optical ports can be installed on the front panel and also be installed on the rear panel according to user requirements. Excellent low noise figure, can be used for high-quality transmission of video, ...

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: [sales@indzawo.co.za](mailto:sales@indzawo.co.za)

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

