
Optics & Photonics

Indzawo Optic Connect

288 Indoor Optical Cable





© 2026 Indzawo Optic Connect - All rights reserved

288 Indoor Optical Cable



Single-Unit is RoHS 2 and REACH compliant and all multimode and singlemode cables (except OM1) utilize bend-insensitive optical fibers. Each fiber is color coded for easy identification, flexible and ...



The design uses 24 ribbons within a central tube to minimize the cable dimensions. The smallest and lightest in the industry, these cables are designed to maximize the use of critical duct space with ...



Shop for fiber optic cables at Cables Plus USA, leader in fiber optic products supply offering high-quality products at the best value through our fiber optic cable wholesale. Buy and save big on bulk orders.




Corning FREEDM® loose tube gel-free riser cables are flame-retardant, indoor/outdoor, riser-rated cables designed for interbuilding and intrabuilding backbones in aerial, duct and riser applications.



Corning UltraRibbon™ riser gel-free interlocking armored cables continue the innovative breakthrough in indoor cable technology with a new generation of high-fiber-count single tube cables.

© 2026 Indzawo Optic Connect - All rights reserved



Product Number: FISR288A5 Indoor Flexible Ribbon OS2 288 Fibers OFCP Aluminum Interlocked Armor Sub-units 3.0mm (24F) FX Indoor, Flexible Ribbon, OS2, 288 Fibers, OFCP Aluminum ...



From single mode to multimode, and specialized cables like armored and hermetically sealed options, learn how each type of fiber optic cable is designed to meet specific performance and installation ...



Encased in spirally wrapped aluminum interlocking armor for ruggedness and superior crush resistance, these cables are ideal for industrial and heavy traffic areas and installations ...



Ultra-high-density 288-fibre indoor LSZH rated optical cable with a 24-subunit design for large-scale installations in data centres and vertical risers.



Fiber Indoor/Outdoor cable, TeraSPEED ®, Single Jacket All-Dielectric, 288 fiber, Riser Rated, Gel-Free, Stranded Loose Tube, Singlemode G.652.D and G.657.A1, Feet jacket marking, Black jacket ...

© 2026 Indzawo Optic Connect - All rights reserved

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: https://www.indzawo.co.za
Email: sales@indzawo.co.za
Phone: +27 71 296 8473
Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

© 2026 Indzawo Optic Connect - All rights reserved