

# Indzawo Optic Connect


## 350 Cable Tray Thickness



## 350 Cable Tray Thickness



350 MCM 3C Aluminum Tray Cable W/G Type TC-ER UL XHHW-2 Insulation PVC 600V Part Number: 350-03TCG-XLP-ALUM Conductor Size: 350 MCM No. of Conductors: 3 Ground Wire Size: 2 ...



It has a pressure-extruded jacket and fine copper stranding for excellent flexibility, making it much easier to pull through tray. With UL TC-ER approval, no conduit is needed so you can reduce material costs ...




Suitable for installation in cable trays, supported by messenger wire in open air, raceways, channels, conduits, and ducts. Approved for direct burial and outdoors in cable trays where sunlight resistance ...



Ripcord applied to all cables with jacket thickness of 60 mils or less. Provides outstanding sunlight, cold bend and cold impact resistance. Offers the smallest cable O.D. available for suitable applications. ...



Explore standard sizes by tray type, understand width and depth limits, and see how to calculate and choose compliant cable tray sizes for real projects.



Our wind certification report provides you with list of acceptable B-Line series cable tray supports, fittings and covers based off of the environmental conditions, cable loading, and type of cable tray in your ...



Explore standard sizes by tray type, understand width and depth limits, and see how to calculate and choose compliant cable tray sizes for real projects.



XLP/PVC 350-3C-G is 350 AWG, 3 Conductor Grounded XHHW Tray Cable (XLP/PVC) features stranded bare copper conductors, flame-retardant XLP insulation, and a black sunlight and moisture ...



Application al Electrical Code. The cable is suitable for use in wet or dry locations at temperatures not to exceed 90°C and is dual-rate for 600V or 1000V. Conductors sized 1/0 AWG and larger are approved



nsulation - with Ground - PVC Jacket APPLICATION: Primarily used for power, control, signal, communication, and lighti. g circuits in commercial and industrial environments. Suitable for ...



When fitting cable trays and their accessories, the products are cut on site to create changes of direction, adjust sections, etc. Damage can also occur during handling; as a result, both the ...



We offer the most extensive range of perforated type cable trays, which are used for the installation of cables having high load bearing capacity. Our products have been made available to the customers ...

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: [sales@indzawo.co.za](mailto:sales@indzawo.co.za)

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

