


Indzawo Optic Connect

90-degree turn cable tray




90-degree turn cable tray



Connects to any ASP cable tray with splice clamps provided. Standard depth is 4" with optional depth of 6". Model numbers are 12CT90 (12" wide), 18CT90 (18" wide) and 4CT90 (24" wide). Covers and ...



Perfect for telecom networks, data centers, and electrical distribution systems, these 90 Degree horizontal bends support efficient cable routing while meeting industry standards.



Eaton B-Line series horizontal bend, 4" H x 19.5625" W x 9" L, Aluminum, 12" radius, 90° angle, Horizontal bend.




One Kit contains hardware for one tee or two 90 degree bends Slotted design fits any size tray and eliminates precise tray alignment



Learn about cable tray configurations. This video explains which type of cable tray section is best for creating a 90 degree turn while paralleling a platform.



Cable Tray 90° Vertical Inside Bend, 24" Radius, 24" Wide, 6" High, Aluminum



90-Deg Horizontal E-Bend Section (cULus Classified) is a cable runway for horizontal direction change. This 90-Degree Horizontal E-Bend Section (cULus), L90HB12W item fits 12.00in with a material of ...



The nVent CADDY Wire Basket Tray PreForm Elbow 90° is a precision-engineered solution designed to streamline cable tray installations when a directional change is needed.



Features Contains: One Kit contains hardware for one tee or two 90 degree bends. Slotted Design: fits any size tray and eliminates precise tray alignment. UL Classified Splice.



Transition trays are required in a cable tray system whenever a 90 degree turn is made. Heavy duty, pre-galvanized. Fast shipping.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

