


Austria ODMLPO optical module 100G



Austria ODMLPO optical module 100G



The 100G-10KM-OLT-QSFP28 Converter Module is designed to operate in high-performance networks, supporting transfer rates of 100 Gbps using a single-mode ...



Eoptolink's EOLQ-131HG-O-02 QSFP28 FR 100G Optical transceiver module are designed for use in 100 Gigabit Ethernet links over 2km single mode fiber. They are operating on 1311nm wavelength, ...



The 100G QSFP28 ER1 optical transceiver modules are designed to support 100G Ethernet, suitable for data center links up to 40km over single-mode fiber. The 100G QSFP28 ER1 module is compliant ...



The 100G QSFP28 module solution provides high-performance 100GbE connectivity for data centres, enterprise core & distribution layers, computing networks and service provider applications.



It transmits four optical signals and multiplexes them into a single channel using a WDM device to achieve 100G optical transmission. The module features cooled DFB lasers and a hermetic ...



The 100G QSFP28 optical module is suitable for 100G Ethernet, EDR Infiniband and 32G fibre channel. Generally, its size and panel density are the same as 40G QSFP+.



Explore the details, specifications and video of our 100G Optical Transceiver, and order high-quality 100G Optical Transceiver from our factory directly at competitive pricing.



The module converts 4 input channels of 25Gb/s electrical data to 4 channels of LAN WDM optical signals and then multiplexes them into a single channel for 100Gb/s optical transmission.



The 100G QSFP28 module solution provides high-performance 100GbE connectivity for data centres, enterprise core & distribution layers, computing networks and ...



The 100G-10KM-OLT-QSFP28 Converter Module is designed to operate in high-performance networks, supporting transfer rates of 100 Gbps using a single-mode fiber pair.



The 100G-DR-LPO specification by the LPO (Linear Pluggable Optics) MSA defines 100 Gb/s/lane 53.125 GBd PAM4 optical interfaces, optical links using standard single-mode fiber with up to 500 m ...



The module converts 4 input channels of 25Gb/s electrical data to 4 channels of LAN WDM optical signals and then multiplexes them into a single channel for 100Gb/s optical transmission.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

