

Austrian Certified OSFP Optical Module PAM4




Austrian Certified OSFP Optical Module PAM4



Designed for high thermal capacity, electrical scalability, and forward compatibility, OSFP modules now drive connectivity across 400G, 800G and the emerging 1.6T generation.



PAM4 DSPs MaxLinear's highly integrated PAM4 DSPs offer superior link-margin performance and low power to enable 100G, 400G, 800G, and 1.6T optical interconnects inside the data center.



Ara is manufactured with advanced 3nm process technology that delivers improved power efficiency while doubling the total bandwidth of the module to 1.6Tbps utilizing established OSFP/QSFP-DD ...



The Active Optical Cables support 400G PAM4 applications and are available in standard lengths up to 100 meters including 1:2, 1:4 and 1:8 breakouts.



FTCE8627E1PCA 2x400G VR4 OSFP transceiver modules are designed for use in 2x400 Gigabit Ethernet or InfiniBand links up to 100m of multi-mode fiber. They are compliant with the OSFP MSA, ...




OSFP 2x200G Eoptolink's EOLO-164HG-E-02-XX 2XFR4, 2x200G Optical transceiver module are designed for use in 400 Gigabit links over 2km singlemode fiber. They are operating on 8x50G PAM4 ...



The Arista Networks OSFP-400G-FR4 Compatible OSFP optical transceiver module features a duplex LC connector and supports transmission up to 2km over ...



It is compliant with IEEE 802.3 800GBASE-VR8 and OSFP MSA module requirements with integrated heat sink. Optical signals are carried over eight pairs of parallel lanes, with one ...



The Arista Networks OSFP-400G-FR4 Compatible OSFP optical transceiver module features a duplex LC connector and supports transmission up to 2km over parallel single-mode fiber. The 400 Gigabit ...



200G/400G/800G optical module features up to 40km transmission distances using QSFP56/QSFP-DD footprints for data center interconnect applications - FiberMall



It is a small-form-factor hot pluggable transceiver module integrated with high performance Siphon modulator. It is compliant with 1600G Ethernet specs and OSFP MSA.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

