Indzawo Optic Connect

B16 Fiber Optic Switch Serial Cable Connection





© 2026 Indzawo Optic Connect - All rights reserved

B16 Fiber Optic Switch Serial Cable Connection




Improve safety, signal integrity, and reliability by using two optical fibers instead of wire to transfer bidirectional serial data plus an IRIG-B time synchronization signal.



Table B-3 lists the cable specifications for the fiber-optic SFP module connections. Each port must match the wave-length specifications on the other end of the cable, and for reliable communications, ...



Most modern fiber-enabled network switches require an SFP transceiver module featuring a duplex (two strand) multimode OM3 or duplex single mode OS2 connection with LC connectors. Direct attach ...



You can use the serial port to connect to a computer workstation to configure the switch IP address without connecting to the fabric. The serial port''s parameters are 9600 baud, 8 data bits, no parity, 1 ...



The supplied RJ-45-to-DB-9 adapter cable is used to connect the console port of the switch to a console PC. You need to provide an RJ-45-to-DB-25 female DTE adapter if you want to connect the switch ...

© 2026 Indzawo Optic Connect - All rights reserved



You can use the serial port to connect to a computer workstation to configure the switch IP address without connecting to the fabric. The serial port''s parameters are 9600 baud, 8 data bits, no parity, 1 ...



IBM 2005-b16. Im trying to manage the switch trough a serial connection, using a serial cable and a usb to serial cable too. Any ideas?



4 – Switch to Switch Cross Connect Supports high-bandwidth connections to upstream switches where there is distance between devices with horizontal cabling involved



This article will guide you through the necessary tools, materials, and methods on how to connect fiber optic cables effectively, ensuring you achieve optimal performance from your fiber optic ...



Omnitron Systems is a leading provider of fiber connectivity solutions with media converters, Network Interface Devices (NIDs), T1 multiplexer and CWDM multiplexers.



These cables are used to connect the Digi devices to the serial console port of Cisco and Sun Netra devices. Pinout information and a graphic is included later in this chapter.

© 2026 Indzawo Optic Connect - All rights reserved

	AVB-compatible switch. You can use any standard AVB switch on the market. MOTU offers the five-port MOTU AVB Switch™ (sold separately).

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: https://www.indzawo.co.za
Email: sales@indzawo.co.za
Phone: +27 71 296 8473
Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

© 2026 Indzawo Optic Connect - All rights reserved