

## Can the 6GK15032CB00 be connected to a single-mode fiber optic cable



### Overview

With an integrated RS485 electrical interface and dual BFOC fibre connections, it supports flexible network architectures and improved immunity to electromagnetic interference. The unmanaged Industrial Ethernet switches of the SCALANCE XB-000/XB-000G line allow cost-effective solutions for setting up small star or line topologies with switching functionality in machinery or plant components. The enclosure is designed for space-saving installation in a control cabinet on a. In the meantime, you can always view the PDF using the Download button above. Receive news and updates from Octopart and our trusted partners. View and download the latest Siemens 6GK15032CB00 Datasheet including technical specifications, product features, and more from Octopart. They are important components in a holistic industrial security concept. PROFIBUS OLM/G11 V4. 0 optical link module with 1 RS 485 and 1 glass fiber optic cable interface (2 BFOC sockets), with signaling contact and test port product type designation PROFIBUS OLM/G11 V4. 0 transfer rate transfer rate / with PROFIBUS 9.

## Can the 6GK15032CB00 be connected to a single-mode fiber optic c



PB OLM/G11 V4.0 OPTICAL LINK MODULE W. 1 RS485 AND 1 GLASS-FOC-INTERFACE (2 BFOC-SOCKETS); WITH SIGNAL. CONTACT AND MEASURING OUTPUT,



Data sheet 6GK1503-2CB00 product type designation PROFIBUS OLM/G11 V4.0 PROFIBUS OLM/G11 V4.0 optical Link module with 1 RS485 and 1 glass fiber-optic cable interface (2 BFOC sockets), with ...



Siemens 6GK15032CB00 Simatic Net, Pb Olm/G11 V4.0 MFR Part #: 6GK15032CB00 | RS Stock Number: 70903761



Download datasheet PDF files and view the best pricing for Siemens 6GK15032CB00 Pneumatics now!




This optical link module provides a reliable solution for extending PROFIBUS networks over glass fibre, enabling long-distance communication up to 3 km while maintaining high data rates up to 12 Mbit/s.



PROFIBUS OLM/G11 V4.0 optical link module with 1 RS 485 and 1 glass fiber optic cable interface (2 BFOC sockets), with signaling contact and test port product type designation PROFIBUS OLM/G11 ...




PROFIBUS OLM/G11 V4.0 PROFIBUS OLM/G11 V4.0 optical link module with 1 RS 485 and 1 glass fiber optic cable interface (2 BFOC sockets), with signaling contact and test port Delivery ...



6GK15032CB00\_datasheet\_en - Free download as PDF File (.pdf), Text File (.txt) or read online for free.



Find technical specifications and support for Siemens industrial products, including automation technology and communication solutions.



PROFIBUS OLM/G11 V4.0 Optical Link Module, 1x RS485, 1x BFOC (glass FOC)

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: [sales@indzawo.co.za](mailto:sales@indzawo.co.za)

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

