







Dimensions of Standard Relay Protection Cabinets




Dimensions of Standard Relay Protection Cabinets

	<p>RACKS Standard Relay Racks Rack material: extruded aluminum Black powder coated or mill finish Weight capacity: 1,000lb. bolted to floor, 500lb unsecured Supports 19" EIA wide rack-mount equipment</p>
	<p>The internal counterdoor guarantees IP20 degree of protection. Made of steel sheet 15/10mm thick, galvanized and painted orange peel RAL 7035 colour, complete with the EV1008 ergonomic box and ...</p>
	<p>The inside of the cabinet is guaranteed to be 19 inches. 19-inch equipment such as switches can be installed on the shelves. Vertical installation liners can also be customized.</p>
	<p>Above dimensions include the 1" heat sinks on each side of the Relay Panel Note: A larger size Relay Panel Box might be required if optional breakers or a disconnect is required.</p>
	<ul style="list-style-type: none"> • Clearly labeled terminals with protective covers to prevent ingress of dust and water. • Suitable for interconnecting relay outputs with field wiring. <p>Enclosure Construction • SRi's NEMA 1A relay panels ...</p>



Each rack has two pairs of grounding studs that create a path for static electricity and protect components from electric shocks. All are compatible with standard 19" wide components. One rack ...



The industry settled on a standard 18-inch width for the equipment and a standard 19-inch inside width for the relay racks. For this reason, relay racks are sometimes referred to as 19-inch racks.



Two-piece vertical construction (VS7xx) Cable managers clip to relay rack to ease mounting



The standard 4U high 19- inch rack mounting modular configuration simplifies panel design & installation. Mounting points & overall panel dimensions meet international standards such that the ...



These features offer varying degrees of access, protection, footprint size and support for mounted equipment. Standard relay racks and cabinets have vertical posts that are spaced at either 19" or 23" ...



Cabinet, SE, 2300 x 800 x 600mm, 19 Inch, 48RU.
Included: SE Frame, front 19 Inch x 48RU equipment mounting rails, side joiner panels, cable entry top panel, ducts, DIN rail, earth bar, light.
Features:

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

