

## Directing traffic from the core switch to the firewall



### Overview

In this video, we configure OSPF routing between a Core Switch and a Firewall and perform complete failover testing to verify redundancy, dynamic route exchange, and high availability. I am asking myself what others recommend for the connection between core switch and Firewall. Two Catalyst 9300 Core switches in stack. A misstep here can either cripple network performance with unnecessary. Routing on firewall or core switches?

Hello, In my assignment I have to design a network with following components: Configuration: ● Both of the firewalls should be in cluster (HA) ● Both ISP's should be in active-passive mode with dependency with the firewall cluster. ● Each device (server. If your network consists of several internal routable subnets and the devices/systems on those subnets communicate regularly and do not warrant being separated by firewalls, the gateway being set to the core, or whatever handles your internal routing, makes sense. I think in NAT mode their will a protocol running.


## Directing traffic from the core switch to the firewall



If your network consists of several internal routable subnets and the devices/systems on those subnets communicate regularly and do not warrant being separated by firewalls, the gateway ...



Traffic staying within a zone can be routed on the core switch to reduce load on the firewall and improve performance. So in your case your end devices and printers can probably exist in the same zone.



The decision on using IP routing and VRF routing in the core switch is a design choice that can provide performance advantages on inter VLAN routing within each VRF and the GRT.



As you can find through the attached file, we need to segregate the internet between two firewalls with interconnection with only one core switch on the core switch, we have created the VLANs for ...



This section describes how to configure the enterprise router to divert traffic to CFW and verify network connectivity, so that the security of all traffic can be checked.



Learn when to use core switch routing vs next-generation firewall routing in enterprise networks. Explore performance, security zones, VRF design, and hardware platform selection.



From a core switch perspective, 10.10.10.1 (FortiGate) is reachable on VLAN100. The core switch (SW-A & SW-B) may send traffic to both FGT-A and FGT-B at the same time due to the same ...



It's possible to do almost anything with the Fortigate. It can even do your SD-WAN for you! But in this case the FGT can either be a routed device and participate in your existing routing ...



The PA firewall will have a separate VR and will nat traffic from 10.x LAN to Public before routing out to Internet via core. There is ospf routing on all cores and distribution switches connecting to cores as ...



This hierarchical physical design of a secure campus wired LAN is very common and involves two or three levels between the access switch and the core equipment, such as a firewall or a router.



In this video, we configure OSPF routing between a Core Switch and a Firewall and perform complete failover testing to verify redundancy, dynamic route exchange, and high availability.

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: [sales@indzawo.co.za](mailto:sales@indzawo.co.za)

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

