Indzawo Optic Connect

Dual-core single-mode lc-lc fiber optic patch cord





© 2026 Indzawo Optic Connect - All rights reserved

Dual-core single-mode lc-lc fiber optic patch cord




This makes the cable more durable and reliable, especially in harsh or demanding environments. Besides, it makes the cable more resistant to kinking and bending, allowing for easier handling and ...



Singlemode fiber optic patch cord usually comes with a yellow outer sheath. They feature a 9/125um core, low dispersion, and support only one transmission mode, which brings low signal loss and ...



This high-quality singlemode fiber optic patch cable is specifically designed using SMF-28e fiber for ethernet applications. Each connection has great durability and is resistant to pulls, strains and ...





View all LC to LC duplex fiber patch cables. Singlemode, multimode, OM1-OM4, OS2, OFNP, OFNR, Plenum cables, Indoor/Outdoor patch cables. Armored Cables.



Optcore offers an extensive line of LC to LC 9/125µm OS2 single-mode duplex fiber optic patch cables with many choices of different lengths, jacket material, polish, and cable diameter.

© 2026 Indzawo Optic Connect - All rights reserved

	Our LC duplex zipcord fiber optic patch cord offers reliable, high-speed connections for voice, data, or video in data centers, offices, and telecom rooms, with fire-retardant options.
	The Polyphaser FPC2LCLC-CSMZY16-01 is a LC to LC Duplex 9/125 single mode 1.6mm diameter fiber optic Patch Cord best used for long cable runs in any single mode network.
	Singlemode LC/UPC to LC/UPC, Fiber Patch Cord, 1.6 mm Duplex, Low Smoke Zero Halogen (LSZH)
	This patch cords comes with an A-B flipped polarity from the factory, but can be easily changed to A-A straight through polarity with no tools. This uniboot design allows one cable to carry both fibers, ...
	This LC to LC single mode fiber patch cable is ideal for GPON, FTTX, and passive network applications. Flexible and Durable: Operates from -4° to 158°F (-20°C to 70°C) with a minimum bending radius of ...

© 2026 Indzawo Optic Connect - All rights reserved

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: https://www.indzawo.co.za
Email: sales@indzawo.co.za
Phone: +27 71 296 8473
Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

© 2026 Indzawo Optic Connect - All rights reserved