

## FTL-1341-Optical Module



## FTL-1341-Optical Module



Finisar's FTL4C1QL3C QSFP+ transceiver modules are designed for use in 40 Gigabit Ethernet links over single mode fiber. They are compliant with the QSFP+ MSA1,2 and IEEE 802.3ba 40GBASE ...



DigChip is a provider of integrated circuits documentation search engine, it is also distributor agent between buyers and distributors excess inventory stock.



FTL4C1QE3C QSFP+ transceiver modules are compliant with the QSFP+ MSA,2 and IEEE 802.3ba 40GBASE-LR43. Digital diagnostics functions are available via an I2C interface, as specified by the ...



FTL4C1QL2L 40GBASE-LR4 Lite QSFP+ Optical Transceiver Module FTL4C1QL2L QSFP+ transceiver modules are designed for use in 40 Gigabit Ethernet links over single mode fiber.



FTL4C1QL2C transceiver modules are Class 1 laser eye safety compliant per IEC 60825-1. IX. The FTL4C1QL2C mechanical specifications are compliant to the QSFP+ MSA transceiver module ...



Finisar compatible FTL4C1QL2L is QSFP (Quad Small Form-factor Pluggable) Transceiver, operating over Single-Mode Fiber (SMF.) optical cable. It has minimum guaranteed optical budget of 4.5 dB, ...



FTL4C1QL2L QSFP+ optical transceiver modules are designed for use in 40 Gigabit Ethernet links over single mode fiber. They are compliant with the QSFP+ MSA and are compatible with IEEE 802.3ba ...



FTLX1341E2-C - Transceiver Module Networking, General Purpose 10Gbps 1310nm 3.3V LC Duplex Pluggable, SFP+ from ATGBICS. Pricing and Availability on millions of electronic components from ...



The Finisar FTLX1341E2 transponder incorporates Electronic Dispersion Compensation (EDC) which provides correction for the severe modal dispersion that may occur during propagation through links ...



Equipped with a removable **Mounting Plate** inside the enclosure, enabling customized drilling and secure component mounting.

With data speeds ranging from 1 Gbps to 10.5 Gbps, these transceivers cater to various applications in data centers and enterprise environments. The operating voltages span 3 V to 3.6 V, ...

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: [sales@indzawo.co.za](mailto:sales@indzawo.co.za)

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

