


# **Fiber optic patch cord interface flange**



## Fiber optic patch cord interface flange



This guide will help you quickly understand the main types of fiber patch cords and how to choose the right solution for your project - and how ZION can support you with stable quality, ...



Standards Approval and Listings TIA/EIA-604-3 General Specifications Product Type Fiber Optic Adapters Fiber Category 62.5  $\mu\text{m}$  MM (OM1) Corning Logo Yes Packaging Bulk Pack Design ...



Fiber Optic Couplers Kit for SC/UPC, SC/APC, ST, LC Cables Connector, 5 Styles with 23pcs Fiber Optic Adapter Couplers for Multi-Mode & Single-Mode Patch Cords Flange




Thorlabs manufactures Ultra-High-Vacuum Compatible Fiber Feedthroughs for both CF  $\text{\O}2.75$ " (DN40) and KF40 flanged systems. These feedthroughs allow for optical coupling into ultra-high-vacuum ...



CRM-2 Pneumatic Crimper is specially designed for connector crimping. It can also be used for press-fitting joining ferrule and flange together. It is featured with user safe, high efficiency and compact ...



JCOPTIX offers SM1 external thread ferrule flanges, available for Ø1.25 mm or Ø2.5 mm ferrules. These flanges enable conversion between fiber optics and standard SM1 threaded components.



Featuring high-precision Zirconia Ceramic ferrules for minimal signal loss, our selection includes industry-standard SC, LC, ST, FC, and MPO/MTP® interfaces. Ideal for telecom, data centers, and ...



Constructed with precision, our fiber optic patch cords feature different connector terminations, such as SC, ST, FC, and LC, ensuring compatibility with diverse network infrastructures.

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: [sales@indzawo.co.za](mailto:sales@indzawo.co.za)

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

