


Fire-retardant and waterproof cable trays penetrating walls



Fire-retardant and waterproof cable trays penetrating walls



The frame can be opened and closed repeatedly to allow for cable maintenance and additions. The sponge rubber pads are compressed around the penetrating items and can be easily cut to fit around ...



Seal cable penetrations with our modular firestop solutions, designed to create water-, smoke- and gas-tight barriers in energy and industry projects both onshore and offshore.



Steel wall sleeves support cable trays at penetrations, featuring UL fire-rated systems and outdoor weatherproof kits. Review specs for safe installation.



Build fire-rated enclosures around tray runs, transitions, and penetrations to block flame and smoke movement. Integrate coverings with existing fireproofing and firestopping systems for full compliance ...



Cable tray installation must comply with specific technical standards to ensure electrical safety, system reliability, and long-term maintainability. This document outlines the key requirements for cable tray ...



Effectively fill spaces caused by pipes and cables traveling between walls with 3M's through penetration products. Whether you need preformed plugs or the flexibility of an expanding foam, sealant or ...



Technical guide to firestopping cable tray and slab penetrations in electrical shafts; specifies materials, packing limits, waterstop heights and installation sequence.



FIRSTO firestops are designed to seal multi-cable and cable tray penetrations of fire-rated walls and floors. FIRSTO fire stops are developed as a modular system which is simple to assemble around ...



Safeguard your infrastructure with our Fire Rated Cable Trays that are engineered to inhibit flame spread and support swift fire response. The shield cables are from moisture, dust, UV radiation, and ...



3M Fire Barrier Moldable Putty+ is a one-part, halogen-free product designed to firestop electrical outlet boxes and a wide variety of through-penetrations including cable, conduit, insulated pipe and metal ...

Multi-Cable and Cable-Tray Weatherstop Penetrations
 10 Reasons to Count on WSP
 For Your Weatherseal Needs
 Typical WSP Weatherstop Unit Construction
 MSDS
 Sheets
 WSP weatherstops are designed to seal penetrations of any type in walls or floors by cable tray, cable conduit, pipe and/or bus duct. The WSP system utilizes a powder coated or galvanized steel frame that encompasses the entire tray or duct at the point of penetration. These steel frames are chemical, water and corrosion resistant and are sui...
 See more on dornco

```

.rcimgcol .cico { background: #f5f5f5; }
.b_drk .rcimgcol .cico, .b_dark .rcimgcol .cico { background: unset; }
.b_imgSet .b_hList li.square_m, .b_imgSet .b_hList li.tall_m { width: 75px; }
.b_imgSet .b_hList li.tall_mlb { width: 113px; }
.b_imgSet .b_hList li.tall_mln { width: 96px; }
.b_imgSet .b_hList li.wide_m { width: 128px; }
.b_imgSet .b_Card .b_hList li { padding-left: 1px; padding-right: 9px; }
.b_imgSet .b_Card .b_hList li.tall_wfn { width: 80px; padding-right: 6px; }
.b_imgSet .b_Card .b_hList li:last-child { padding-right: 1px; }
.b_imgSet .b_Card .b_imgSetData { padding: 0 8px 8px; height: 40px; }
.b_imgSet .b_Card .b_imgSetItem { box-shadow: 0 0 1px rgba(0,0,0,.05), 0 2px 3px 0 rgba(0,0,0,.1); border-radius: 6px; overflow: hidden; }
.b_imgSet .b_imgSetData p a { color: #444; outline-offset: 0; }
.b_subModule .b_clearfix .b_mhdr .b_floatR .b_moreLink, .b_subModule .b_clearfix .b_mhdr .b_floatR .b_moreLink:visited, .b_subModule > .b_moreLink, .b_subModule > .b_moreLink:visited { color: #767676; }
.b_imgSet .cico .b_placeholder { display: flex; justify-content: center; background-color: #f5f5f5; background-clip: content-box; }
.b_imgSet .cico .b_placeholder a { display: flex; }
.b_imgSet .cico .b_placeholder a img { width: 48px; height: 48px; margin: auto; }
@media (max-width: 1362.9px) { #b_context .b_entityTP .b_imgSet li:nth-child(5) { display: none; }
.b_imgSet .b_hList li.wide_m:nth-child(3) { display: none; } }
@media (max-width: 1274.9px) { #b_context .b_entityTP .b_imgSet li:nth-child(4) { display: none; }
.b_imgSet .b_hList li.wide_m:nth-child(2) { display: none; } }
.rcimgcol .b_imgSet { content-visibility: auto; contain-intrinsic-size: 1px 124px; }
.rcimgcol { height: 108px; padding-top: var(--smtc-gap-between-content-x-small); padding-bottom: var(--smtc-gap-between-content-x-small); }
.b_algo:has(.b_agh) .rcimgcol { padding-top: var(--smtc-gap-between-content-xx-small); }
.rcimgcol .b_imgSet { overflow: hidden; }
.rcimgcol .b_imgSet ul { overflow-x: auto; overflow-y: hidden; white-space: nowrap; padding-left: 0; }
.rcimgcol .b_imgSet ul::-webkit-scrollbar { -webkit-appearance: none; }
.rcimgcol .b_imgSet .b_hList > li { padding-right: var(--smtc-padding-ctrl-text-side); }
.rcimgcol .b_imgSet .cico { border-radius: unset; }
.rcimgcol .b_imgSet .b_hList > li:first-child .cico, .rcimgcol .b_imgSet .b_hList > li:first-child .cico a { border-radius: unset; border-top-left-radius: var(--mai-smtc-corner-card-default); border-bottom-left-radius: var(--mai-smtc-corner-card-default); overflow: hidden; }
.rcimgcol .b_imgSet .b_hList > li:last-child .cico, .rcimgcol .b_imgSet .b_hList > li:last-child .cico a { border-radius: unset; border-top-right-radius: var(--mai-smtc-corner-card-default); border-bottom-right-radius: var(--mai-smtc-corner-card-default); overflow: hidden; }
.rcimgcol .rcimgcol .b_sideBleed { margin-left: unset; margin-right: unset; }
.rcimgcol .b_imgclgovr { cursor: pointer; }
.rcimgcol .b_imgclgovr .cico img: hover { transform: scale(1.05); transition: transform .5s ease; }
#b_content #b_results > .b_algo .b_caption:has(.rcimgcol) { padding-right: var(--mai-smtc-padding-card-default); margin-right: calc(-1 * var(--mai-smtc-padding-card-default)); margin-left: calc(-1 * var(--mai-smtc-padding-card-default)); padding-left: var(--mai-smtc-padding-card-default); }
.rcimgcol .b_imgSet .b_hList .cico a { display: flex; outline-offset: -2px; }
sightsOverlay, #OverlayIFrame .b_mcOverlay sightsOverlay { position: fixed

```

```
;top:5%;left:5%;bottom:5%;right:5%;width:90%;height:90%;border:0;border-radius:15px;margin:0;padding:0;overflow:hidden;z-index:9;display:none}#OverlayMask,#OverlayMask.b_mcOverlay{z-index:8;background-color:#000;opacity:.6;position:fixed;top:0;left:0;width:100%;height:100%}.rcimgcol .b_hList>li{position:relative;padding-bottom:0}.rcimgcol .b_hList>li .iacf_smol{pointer-events:none;border-top-right-radius:var(--mai-smtc-corner-card-default);border-bottom-right-radius:var(--mai-smtc-corner-card-default);white-space:normal}.rcimgcol .b_hList .cico{margin-bottom:0}.iacf_smol{display:flex;justify-content:center;align-items:center;gap:var(--smtc-gap-between-content-xx-small);width:100%;height:100%;background:rgba(0,0,0,.6);position:absolute;left:0;top:0;color:var(--mai-smtc-foreground-ctrl-on-image-rest);font:var(--bing-smtc-text-global-body2-strong);flex-wrap:wrap;align-content:center;text-align:center}.iacf_smol:hover{text-decoration:underline}.iacfmit[data-nohov] .iacfimgc .cico img{transform:none}p>.news_dt{color:#767676}Hilti USA
```

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

