
Flxm distribution box specifications




Overview

The FLX ™ ODN FDC supports up to 6 distribution cable runs in 6 directions using drop ports. It supports up to 1920 Home Pass from a single FLX ™ ODN FDC. This publication contains the following new or updated information. 81 ft)] for standard cable lengths. 10. AZE's Outdoor Fiber Optic Distribution Box is applicable in FTTH project and suitable for building's outer walls application; They can distribute cables after installing splitters and also can draw out room fiber optic cables by direct or cross-connections. This eliminates field splicing for faster deployment, improves time to market, and simplifies planning and O&M activities. With the maximum carrying capacity of 6000W, it can be applied to high mast lighting system combined with outdoor lighting fixtures such.



© 2026 Indzawo Optic Connect - All rights reserved

Flxm distribution box specifications

	AZE''s Outdoor Fiber Optic Distribution Box is applicable in FTTH project and suitable for building''s outer walls application; They can distribute cables after installing splitters and also can draw out room fiber ...
	It describes the components and features of FDBs, including their waterproof design, fiber management capabilities, splitter installation options, and environmental specifications.
	When ordering, users must specify the number of circuits in the distribution box, the corresponding current of each circuit, as well as the number of poles and wiring of the circuit breakers;
	AZE''s Outdoor Fiber Optic Distribution Box is applicable in FTTH project and ...
	DC Micro Style Distribution Boxes Four-pin, One Signal per Port Cable Connector Distribution Box Eight-port DC Micro Distribution Box Specifications

© 2026 Indzawo Optic Connect - All rights reserved



Distribution Box Metal Distribution Box Features Continuously welded seams Foam-in-place seamless gasket 120-degree opening heavy-duty industrial hinges IP66 protection rating against dust and ...



It performs well in wet locations with the water-proof rating of IP66. With the maximum carrying capacity of 6000W, it can be applied to high mast lighting system combined with outdoor lighting fixtures such ...




lastic Distribution Box 1 Overview With full-plastic shell, AXM series distribution box is used to accommodate neutral terminal block, earthing terminal block and DIN rail, and can work ...



It supports up to 1920 Home Pass from a single FLX ™ ODN FDC. It supports cable diameters from 3 mm to 15 mm for input trunk cables and distribution cables. These enclosures are designed for ...



The distribution box is used as a termination point for the feeder cable to connect with drop cable in FTTx communication network system. The fiber fixing, splitting, splicing and jumper can be done in ...



Explore the details, specifications and video of our Outdoor Water-proof FTTH Distribution Terminal Box, and order high-quality Outdoor Water-proof FTTH Distribution Terminal Box from our factory directly ...

© 2026 Indzawo Optic Connect - All rights reserved

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: https://www.indzawo.co.za
Email: sales@indzawo.co.za
Phone: +27 71 296 8473
Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

© 2026 Indzawo Optic Connect - All rights reserved