

# **Ghana QSFP optical module PAM4**







The 400GBASE-FR silicon photonics module, MTP/MPO-12 connector, up to 2km over parallel single-mode fiber. It is compliant with QSFP-DD MSA, IEEE 802.3 protocol and 400GAUI-8 standards.



It has been designed to meet the harshest external operating conditions including temperature, humidity and EMI interference. The module offers very high functionality and feature integration, accessible ...



400G (100G-PAM4) OSFP & QSFP112-based Cables and Transceivers User Guide This document has been deprecated, for more information refer to Interconnect Product Specifications or contact your ...



The Gigalight 400G QSFP-DD SR8 PAM4 100m optical transceiver (GQD-MPO401-SR8CB) is designed for 2x 200GBASE-SR4 Ethernet links reach up to 70m (OM3) or 100m (OM4) over Multi-Mode Fiber ...



For 400G optical transceivers, both OSFP and QSFP-DD use the 8x50G/PAM4 electrical signal for the host interface, which means they both employ PAM4 modulation. This article will introduce the PAM4 ...

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: [sales@indzawo.co.za](mailto:sales@indzawo.co.za)

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

