



## Gigabit optical module TP



## Gigabit optical module TP



1000BASE-SX SFP to LC Optical Gigabit Ethernet Fiber transceiver module, 1.25G Multimode SFP (supports OM1/OM2/OM3/OM4 fiber cables), Duplex LC ...



TL-SM311LM SFP (mini-GBIC) Module introduced for extending transfer distance, attached to managed/web smart switches. It can extend the distance to up 550 m which can basically satisfy the ...



1000BASE-SX SFP to LC Optical Gigabit Ethernet Fiber transceiver module, 1.25G Multimode SFP (supports OM1/OM2/OM3/OM4 fiber cables), Duplex LC connector, 850nm, DDM, up to 550m.



The TL-SM311 series Fiber Module Cards are introduced for extending transfer distance. Attached to our managed/smart switches, they can extend the distance to several kilometers even tens of kilometers ...



TP-LINK's TL-SM321B-2 and TL-SM321A-2 is designed to work in a pair to create an on-site gigabit fiber communication up to 2km (2,000 meters). With one single-mode fiber, the pair of modules can ...



GPON (Gigabit Passive Optical Network) technology offers a point-to-multipoint (PtMP) structure and efficient broadband access solutions to seamlessly meet a business network's requirements. Ideal ...



TP-LINK's TL-SM321A-2 and TL-SM321B-2 is designed to work in a pair to create an on-site gigabit fiber communication up to 2km (2,000 meters). With one single-mode fiber, the pair of modules can ...



TP-LINK TL-SM321A is SFP Single Fiber Transceiver supporting 1.063-1.25Gbps data rate in 10 km distance over Single-Mode Fiber (SMF).



The SM311 series Fiber Module Cards are introduced for extending transfer distance. Attached to our managed/smart switches, they can extend the distance to several kilometers even tens of kilometers ...



High-quality metal casing ensures strength and reliability for a long time, maintaining a stable connection in a wide range of environments. TL-SM331T is compatible with various optic fiber equipment from ...



The TL-SM311 series Fiber Module Cards are introduced for extending transfer distance. Attached to our managed/smart switches, they can extend the distance to several kilometers even tens of kilometers ...

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: [sales@indzawo.co.za](mailto:sales@indzawo.co.za)

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

