


Haiti Outdoor Constant Temperature Cabinet 1200mm Depth Distributor



Haiti Outdoor Constant Temperature Cabinet 1200mm Depth Distrib



We design and manufacture electrical cabinets for areas with extreme temperature conditions, both in high and in low temperature.



The cabinet and door are insulated and sealed for precise humidity and stability. Used in a variety of biological life science, clinical storage, laboratory testing, and other medical applications.



Lastronics HT-CTH-1200-M Constant temperature and humidity storage cabinet (15°C□30°C ; 30%RH□50%RH)



As an innovative installation solution for site equipment, it not only has a large housing capability like traditional shelter but also adopts independent compartment temperature control methods such as ...



Observed from the front of the door, there is a studio on the top, a refrigeration unit and a dehumidification unit on the bottom, a temperature and humidity control device on the top, and a ...



Established in 2009, Langji Technology provides full range of temperature control products and solutions for telecommunication, electricity, new energy and other industry. The annual production of ...



Our temperature controlled enclosures with air conditioners, heaters, and thermostats are perfect for mounting fire-panels, DVRs or electronic equipment outside.



Operating Temperature Range: -40°C to +60°C.
Safety Features: Internal safety ...



Operating Temperature Range: -40°C to +60°C.
Safety Features: Internal safety isolation, overcurrent protection device. Our service Advantages.



For all types of outdoor cabinets, we offer environmental monitoring, as well as ventilation, cooling, and heating units, which provide a favorable and stable indoor climate. We are flexible and ready to ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

