


## How to adjust a PON optical power meter



### Overview

At the same time, press REF & THR to enter calibration mode, short press SEL to switch the wavelength, short press ▲ or ▼ to adjust the power value in 0.1dBm steps, press to save and exit. Below is a list of test and measurement applications that can be performed using the PON-2M PON (passive optical network) power meter. The PON-2M is NIST traceable, and is calibrated 1310, 1490, and 1550nm. PON optical power meter host. tor to charge the unit. Any sufficiently rated AC-to-USB power adapter can be used, though an AC adapter with a current rating below 2. To avoid serious eye injury. The FX41xT is a PON Terminating (PON-T) Selective (Filtered) Optical Power Meter (OPM), capable of simultaneously measuring G-PON's 1490 nm and XGS-PON's 1577 nm downstream signals. Ideal for Optical Distribution Networks (ODN) construction, maintenance and hand-over to service activation teams.

## How to adjust a PON optical power meter



Setting Custom Thresholds The PON-55 can store up to 10 different threshold settings. Download and use the following software to set up your own thresholds to easily read whether the power output is ...



This document provides a user manual for the TPN-35 PON Optical Power Meter. The manual describes the product's features such as measuring power levels at ...



Discover the comprehensive user manual for the PON Optical Power Meter, a cutting-edge device designed for efficient metering of optical power in PON networks. Find detailed instructions and ...



This PON power meter adopts a TFT high-definition LCD display, it is designed for OLT equipment which is focus on online testing, it is very suitable for FTTx/ PON service adjustment or maintenance usage.



Here user can set language, time, auto power off, incidental mode, threshold value, calibration. For example, if you select "threshold value", the setting interface will appear as below.



After powering the device on while not connected, the optical channels will display “LOW”. Also, ensure you have selected the correct Threshold via the Options Menu before proceeding.



This manual describes the operation of the PON-2M PON power meter. The PON-2M is a very economical option for measuring the output power of ONT and OLT in FTTx PON networks.



Before using the FX80 or FX81 power meter for the first time, fully charge the battery and set the local date and time. The date and time is required to time-stamp the test results.



Do not plug the unit into a power outlet that is shared by other devices. Never modify the power cord or excessively bend, twist, or pull it. Do not allow the power cord to become damaged. Do not place ...



Below is a list of test and measurement applications that can be performed using the PON-2M PON (passive optical network) power meter. The procedure for each one of these applications is covered ...



Pressing the Mode button allows users to easily toggle through all the different supported Test Modes offered by the meter. Important: Always clean and inspect all fiber connectors before and after ...

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: [sales@indzawo.co.za](mailto:sales@indzawo.co.za)

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

