

# JXF Low-Voltage Distribution Box Dimensions




## Overview

The boxes are made of cold-rolled steel or stainless steel, have an IP55 rating, and come in various standard sizes from 200x200x150mm to 1800x1000x300mm. JXF Series Power Distribution Box product is box assembled with various control functions by customer-selected components, and there are many box sizes and specifications and the size of the box can be customized according to the size of the installation elements. It is used in the AC 50Hz power. We will present the performance, safe operation methods, and technical parameters of JXF low-voltage distribution box 1. The frame of the JXF low-voltage Switchgear is a combined structure, and the basic skeleton is assembled from C-shaped steel. A paid repair will be provided if the warranty period expires. Suitable for various buildings, industrial, and commercial settings, it enhances the reliability and safety of power systems.


## JXF Low-Voltage Distribution Box Dimensions



JXF small distribution box is a widely used device in low-voltage power systems, designed for the distribution and control of electrical energy. Suitable for various buildings, industrial, and commercial ...



We will present the performance, safe operation methods, and technical parameters of JXF low-voltage distribution box



The boxes are made of cold-rolled steel or stainless steel, have an IP55 rating, and come in various standard sizes from 200x200x150mm to 1800x1000x300mm. They feature single or three phase ...




JXF indoor/outdoor control box is a distribution box designed to accommodate various control functions based on component model, specifications, and quantity. The box's dimensions can be freely ...



JXF Series Power Distribution Box product is box assembled with various control functions by customer-selected components, and there are many box sizes and specifications and the size of ...



Open-mounted distribution box installation method: Assemble four bolts into the four holes on the corners and tighten them into the expansion pipes to fix the box.



JXF low voltage distribution board is suitable for three-phase three-wire, three-phase four-wire, three-phase five-wire system of 50/60Hz, 500V or lower, no bigger than 630A loading current.



Our products boast customizable materials and dimensions, ensuring a tailored experience. With a range of materials to choose from and the ability to adjust sizes to your liking, our offerings are ...



The JXF distribution box is suitable for 50Hz, 500V and below three-phase three-wire, three-phase four-wire, and three-phase five-wire systems with load currents not exceeding 250A.

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: [sales@indzawo.co.za](mailto:sales@indzawo.co.za)

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

