


Layer fiber optic cable Lcutp3 meters



Layer fiber optic cable Lcutp3 meters



Manufactured using OptoSpan Premium OS2 fiber, standard jacket Plenum Fiber ...



This 3-meter long patch cable assembly is equipped with duplex LC/UPC to LC/UPC connectors. Our aqua blue fiber optic cable has an LSZH (low smoke zero halogen) rated PE jacket that ensures ...




These high-quality LC LC OM4 cables are manufactured to decrease modal dispersion/light loss to an absolute minimum, increasing their bandwidths capabilities and overall network efficiency.



Product Description This 3 meter (10 foot) high-quality Plenum approved fiber optic cable is 40/100 gigabit rated MTP / LC (MPO), 24 Strand cable with an Aqua Blue colored jacket.



Assembled with ceramic ferrule LC duplex connectors and Corning 50/125um laser optimized multimode fiber core/cladding, 100Gbps rated fiber optic jumpers. A high performance cable wrapped in an ...



These cables strengthened by the 2*0.45mm steel wires provide more than enough pulling strength to easily install these cables in difficult environments without breaking the cable.



Upgrade your network with our high-quality fiber patch cables, designed for lightning-fast speeds, reliability, and long-term performance. Perfect for home labs, enterprise networking, and high-speed ...




Equipped with LC to LC connectors, this multimode fiber cable, available in 62.5/125 or 50/125 types, is 3 meters in length, making it ideal for robust network connections. This cable ensures efficient and ...



Optimized for short-wavelength division multiplexing (SWDM) technology allowing ...



Manufactured using OptoSpan Premium OS2 fiber, standard jacket Plenum Fiber Optic Cable is designed for light to medium duty indoor applications such as data-center racks and desktop/network ...



These high-quality LC LC OM4 cables are manufactured to decrease modal ...



This 3m LC-to-LC Duplex OM3 Multimode Fiber Optic Patch Cable is designed for 10Gbps performance. Its OFNR PVC jacketing ensures reliable signal transmission and is rated for up to 200-meter ...



Optimized for short-wavelength division multiplexing (SWDM) technology allowing for simultaneous transmission of multiple wavelengths over a single strand. Small form factor LC duplex connectors ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

