

Low-loss specifications and models of passive optical devices




Low-loss specifications and models of passive optical devices



SENKO offers an extensive range of passive device products including fused couplers, PLC splitters, WDM products, switches, attenuators, and polarization ...



In addition to high-bandwidth and low-power-consumption modulators and detectors traditionally offered in a PDK, these applications require new components and specifications such as linearity, phase ...



The substantial improvement in propagation loss and WDM device matching over the wafer is an important step for realizing next-generation low-power and high-density silicon photonics devices and ...




tailored to meet various loss specifications. Selecting the most appropriate connector for a given application hinges on a thorough understanding of the optimal network



Multiple optical models were built with ray tracing methodology to predict the insertion loss and return loss with varying refraction index, transmissivity and surface reflection properties of the ferrule.




For single-star architectures, the absence of optical branching devices may result in optical path losses of less than 5 dB. In such a case, the ODN must contain additional optical attenuators guaranteeing ...



We demonstrate low-loss SiN passive optical components, encompassing straight and bend waveguides, 1×2 MMI, 2×2 MMI, directional-coupl




In this article, we report the fabrication of low-loss gallium-rich BGG glass fibers produced by the preform-to-fiber approach.



In this paper, we present a four channel optical passive wavelength-striped mapping (PWSM) device, which passively time compresses/expands serial packets through optical ...



Multi-user, low-loss, and cost-efficient characteristics are highly desired for widely deployed passive optical networks (PON), which are constrained by the upstream power combining loss induced by ...



Here we demonstrate an integrated approach for passively isolating a continuous-wave laser using the intrinsically non-reciprocal Kerr nonlinearity in ring resonators.



You can read more about their use in FTTH PONs and passive OLANs in the FOA Guide. Testing these devices as components is the subject of this page. Testing networks with both an optical loss test set ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

