

# **Mauritania 10 Gigabit Optical Module**



## Mauritania 10 Gigabit Optical Module



This transceiver module, compliant with MSA SFP+ specifications, uses a single-mode fiber (SMF) with a wavelength of 1550nm. With a maximum reach of 100km, it is ideal for long-distance applications.



The GIGALIGHT's 10G BiDi SFP+ series of optical transceiver modules are widely used in 10G Ethernet and Optical Transport Networks (OTN OTU2e), and are ...



10 Gigabit Connectivity Intellinet Network Solutions 10GBase-LR Fiber SFP+ Optical Transceiver Module, model 507479, is the right choice when it comes to connecting two buildings at 10 GbE ...



10G SFP+ Optical Module is a type of SFP+ transceiver that supports 10 Gigabit per second (10Gbps) data rates and is an enhanced version of the standard SFP (Small Form-factor ...



The GIGALIGHT's 10G BiDi SFP+ series of optical transceiver modules are widely used in 10G Ethernet and Optical Transport Networks (OTN OTU2e), and are compatible with 10G CPRI, Synchronous ...



Perle 10 Gigabit Optical Transceivers are interchangeable, compact media connectors and enable a single network device to connect to a wide variety of fiber types and distances. For use with Perle 10 ...



10G SFP+ Transceivers feature low power consumption, commercial or industrial operation temperature and high reliability, suitable for DCI, Metro, Wireless and Transmission networks.



Amphenol's 10G SFP+ optical modules include SFP+ AOC. They are compliant with SFP+ MSA, SFF-8431 and SFF-8472, and are mainly used in Telecom, Wireless, InfiniBand, and Fiber Channel.



Perle 10 Gigabit Optical Transceivers are interchangeable, compact media connectors and enable a single network device to connect to a wide variety of ...



Genuine Amphenol 10GBASE-SR SFP+ Optical Transceiver Modules provide a high-density, high-performance interface for 10-Gigabit Ethernet and Fibre Channel applications.



The 10G electrical port module is an electro-optical conversion module packaged in SFP+ form factor, with an RJ45 interface. It is usually used with Cat6A or Cat7 network patch cords, ...



TRENDnet's SFP+ Single Mode LC Modules are compatible with standard SFP+ slots found on network switches and fiber converters. Each single mode 10G SFP+ transceiver is equipped with a duplex LC ...

### 10 Gigabit Connectivity Small Size For High-Density Fiber

Connections Compatibility Hot-Pluggable Digital Diagnostics Monitoring The Intellinet Network Solutions 10 Gigabit Fiber SFP+ Optical Transceiver Module (model 507479) is fully hot-pluggable, and that allows you to install the module without rebooting your network switch for uninterrupted network traffic. See more on [intellinetsolutions](#)

Category: Repeaters & Transceivers. **b\_imgcap\_alttitle p strong, .b\_imgcap\_alttitle**

**.b\_factrow strong{color:#767676}#b\_results .b\_imgcap\_alttitle{line-height:22px}.b\_i**

**mgcap\_alttitle{display:flex;flex-direction:row-reverse;gap:var(--mai-smtc-padding-card-nested-default)}.b\_imgcap\_alttitle .b\_imgcap\_img{flex-shrink:0;display:flex;flex-direction:column}**

**.b\_imgcap\_alttitle .b\_imgcap\_main{min-**

**width:0;flex:1}.b\_imgcap\_alttitle .b\_imgcap\_img>div,.b\_imgcap\_alttitle .b\_imgcap\_img**

**a{display:flex}.b\_imgcap\_alttitle .b\_imgcap\_img img{border-radius:var(--mai-smtc-**

**corner-card-default)}.b\_hList img{display:block}.b\_imagePair ner**

**img{display:block;border-radius:6px}.b\_algo .vttv2 img{border-radius:0}.b\_hList**

**.cico{margin-bottom:10px}.b\_title .b\_imagePair> ner,.b\_vList>li>.b\_imagePair>**

**ner,.b\_hList .b\_imagePair> ner,.b\_vPanel>div>.b\_imagePair> ner,.b\_gridList**

**.b\_imagePair> ner,.b\_caption .b\_imagePair> ner,.b\_imagePair>**

**ner>.b\_footnote,.b\_poleContent .b\_imagePair> ner{padding-bottom:0}.b\_imagePair>**

**ner{padding-bottom:10px;float:left}.b\_imagePair.reverse>**

**ner{float:right}.b\_imagePair .b\_imagePair:last-child:after{clear:none}.b\_algo .b\_title .**

**b\_imagePair{display:block}.b\_imagePair.b\_cTxtWithImg>\*{vertical-**

**align:middle;display:inline-block}.b\_imagePair.b\_cTxtWithImg>**

**ner{float:none;padding-right:10px}.b\_imagePair.square\_s>**

**ner{width:50px}.b\_imagePair.square\_s{padding-left:60px}.b\_imagePair.square\_s>**

**ner{margin:2px 0 0 -60px}.b\_imagePair.square\_s.reverse{padding-left:0;padding-**

**right:60px}.b\_imagePair.square\_s.reverse> ner{margin:2px -60px 0**

**0}.b\_ci\_image\_overlay:hover{cursor:pointer}**

**sightsOverlay,#OverlayIFrame.b\_mcOverlay sightsOverlay{position:fixed;top:5%;left:**

**5%;bottom:5%;right:5%;width:90%;height:90%;border:0;border-radius:15px;margin:0**

**;padding:0;overflow:hidden;z-index:9;display:none}#OverlayMask,#OverlayMask.b\_**

**mcOverlay{z-index:8;background-**

**color:#000;opacity:.6;position:fixed;top:0;left:0;width:100%;height:100%}Amphenol**

**Communications Solutions**

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: [sales@indzawo.co.za](mailto:sales@indzawo.co.za)

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

