Optics & Photonics

Indzawo Optic Connect



Metal-ceramic ferrule





© 2026 Indzawo Optic Connect - All rights reserved

Metal-ceramic ferrule

	We provide stud welders and manufacturers with custom ceramic ferrules that can be used to protect weld studs from weathering and contamination.
	Our Standard Ferrules are typically used as sub-components within fiber optic connectors, but can also be integrated in various specialized applications. They are made of zirconia ceramic, which offers the ...
	PFP SC 2.5mm OD Multimode Ceramic Zirconia Ferrule Assemblies From $1.70 Excluding Sales Tax Add to Cart
	Singlemode Zirconia Ferrules are designed for highly precise singlemode fiber connections consisting of a submicron precision process and operation. Multimode Zirconia Ferrules were developed for cost ...
	Kyocera''s extrusion molding process creates ferrules with excellent coaxiality, and our precision machining ensures excellent concentricity with precise inner and outer diameters. Our ferrules and ...

© 2026 Indzawo Optic Connect - All rights reserved



Blasch''s shape making capability allows us to engineer round and hex ferrules to meet your boiler specifications and application. Ferrules can be made in a variety of high purity thermal shock ...



These ferrules are available in both ceramic and stainless steel and are designed to meet the space requirements of specialty applications. They come with a variety ...



2. Why Ceramic (Zirconia) instead of Metal? While some early connectors used metal or plastic ferrules, high-performance connectors (like SC, FC, LC, and ST) almost exclusively use ...



If your project involves fiber optic communication, ceramic ferrules are the best choice for ensuring extremely low signal loss and high stability. For industrial automation or harsh ...



These ceramic sleeves are used to protect metal components from corrosive and abrasive media at neuralgic points of certain process systems (the refining sector, boilers, Claus units etc.).



Blasch''s Hybrid Metal/Ceramic Ferrules can prevent the typical tube-end corrosion/ erosion, minimize stress corrosion cracking, localized pitting and weakened tube to sheet joints that can occur without ...

© 2026 Indzawo Optic Connect - All rights reserved

	Kyocera''s extrusion molding process creates ferrules with excellent coaxiality, and our precision machining ensures excellent concentricity with precise inner and ...
	Available zirconia ferrule types from Sinocomms are SC, FC, LC, ST, MU, SMA with flat, dome, cone, step, or pre-angled end-faces. Sinocomms can also customize non-standard ferrules with any ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: https://www.indzawo.co.za
Email: sales@indzawo.co.za
Phone: +27 71 296 8473
Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

© 2026 Indzawo Optic Connect - All rights reserved