



ital diagnostics for SFP-10G-CWDM-DML-xxxx-10KM-x-L13 are internally calibrated by default. The internal micro control unit accesses the device operating parameters in real time, Such as ...



LINK-PP LS-BL49551G-A0I SFP 1G BiDi Simplex LC/UPC Optical Transceiver Module (SMF, 1490nm-TX/1550nm-RX, 100km, DOM, Industrial) The LS-BL49551G-A0I SFP transceivers are high ...



Description Module Optical SFP+ 1310nm SMF 10KM Connector Dual LC Data Rate 10Gbps Distance 10km Wavelength 1310nm Format SFP+ Mode SMF DDM Support: YES



The NEL NLK1551SSC directly-modulated laser (DML) is a cost-effective solution for 10Gb/s digital transmission of up to 50km using traditional intra-city fiber links. The package contains a high-speed ...



Featuring a single +12V DC power supply and a SMA RF input connector, this module is easy to operate and integrate. The module can be controlled remotely via the RS485 interface. Wavelength other ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

