Indzawo Optic Connect

Optical module transmission 1330





© 2026 Indzawo Optic Connect - All rights reserved

Optical module transmission 1330



OSP−SM10S is a pair of fiber optic transceivers for 1270/1330nm single−mode signals. These standard pluggable SFP+ optical modules have one LC connector for reception and transmission of signals ...



The Miljet MJ-SFP10G-BXD-20 is an SFP+ transceiver that uses a DFB laser with combined wavelengths of 1270nm/1330nm for Single Mode fiber (SMF). It has a reach of up to 20km over ...



The transmission wavelength is fixed at 1330nm and suitable for distances up to 12.4 miles when using single-mode optical fiber, while the receiver will capture any wavelength between 1260 and 1565nm. ...



The 10GBase-BX SFP+ module is designed for data transmission using a single single-mode (SM) fiber. It transmits data at speeds of up to 10.3 Gbps, over distances of up to 10 km.




Filtering is accomplished through the filters in the optical module, while simultaneously transmitting the TX optical signal and receiving the RX optical signal, or vice versa.

© 2026 Indzawo Optic Connect - All rights reserved



The transmission wavelength is fixed at 1330nm and suitable for distances up to 12.4 miles when using single-mode optical fiber, while the receiver will capture any ...



Filtering is accomplished through the filters in the optical module, while ...



modules Conforming to the Small Form Factor Pluggable (SFP) Multisource Agreement, these SFP+ transceivers are designed expressly for high-speed duplex PON communication applications that ...



This SFP module facilitates the conversion of two electrical SDI signals into optical signals for transmission over two fiber links. 18-wavelengths (9 pairs) selections are available for CWDM ...



This 10G BiDi SFP+ transceiver, featured with data transmission over a single strand of fiber, the one transceiver transmits a 1330-nm channel and receives a 1270-nm signal, whereas the other BiDi ...



A single-mode optical module with an SFP+ form factor for LTE equipment. It is designed to work in single-mode optical fiber (SMF) with a maximum distance of 10 km, an optical budget of 6dB, an LC ...

© 2026 Indzawo Optic Connect - All rights reserved

	Unlike regular video transceivers, this 12G BiDi SFP+ transmits an optical SDI signal and receives an optical SDI signal over a single fiber link. By doing so, the network operator can double the ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: https://www.indzawo.co.za
Email: sales@indzawo.co.za
Phone: +27 71 296 8473
Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

© 2026 Indzawo Optic Connect - All rights reserved