



Optical modules compatible with Apc interface



Optical modules compatible with Apc interface



This Cabling Guide will discuss the different available fiber optic connectivity to work with 10G, 25G, 40G, 100G, 200G, 400G and 800G, and breakout options within the same rack or row, and across ...



The 800GBASE-XDR8 QSFP-DD optical transceiver module is designed for ...



Ensure the suitability of both the optical fiber and the optical transceiver on the other end. UPC and APC connectors should not be mated together as they are not compatible. More importantly, UPC ...




100% verified by the original, perfectly compatible with QSFP56 devices. Tested for compatibility with multiple firmware versions, compliant with IBTA Industrial BER ...



Read the definitive 2026 guide on SFP modules. We explain Single Mode vs Multimode, DDM diagnostics, and how to choose the right transceiver for Cisco, ...



Read the definitive 2026 guide on SFP modules. We explain Single Mode vs Multimode, DDM diagnostics, and how to choose the right transceiver for Cisco, Juniper, and more.



OSFP-DR4 optical module, single-channel 106.25 Gbps (PAM4), MPO-12/APC interface. Hot-swappable, power consumption $\leq 9W$, powered by 3.3V, operating temperature range 0~70°C. ...



Explore how to select SC APC SFP modules for optical networks, including specs, compatibility, applications, and performance insights.



The module has eight pairs of multi-mode fiber with dual MPO-12 APC connectors. It is compliant with IEEE 802.3 800GBASE-VR8 and OSFP MSA module requirements with integrated heat sink.



The 800GBASE-XDR8 QSFP-DD optical transceiver module is designed for 800GBASE Ethernet throughput up to 2km link lengths over OS2 single-mode fiber (SMF) using a wavelength of 1310nm ...



The 800GBASE-DR8 OSFP optical transceiver module is designed for 800GBASE network throughput up to 500m link lengths over OS2 single-mode fiber (SMF) using a wavelength of 1310nm via dual ...



The module features an MPO-16/APC connector, making it ideal for short-reach, high-density data center applications. Designed for links up to 500 meters, the MJ-OSFP800G-DR8 ensures reliable ...



100% verified by the original, perfectly compatible with QSFP56 devices. Tested for compatibility with multiple firmware versions, compliant with IBTA Industrial BER standards. Free test environment and ...



Compliant with QSFP-DD MSA and CMIS, built-in digital diagnostic monitoring (DDM), the 800G QSFP-DD optical transceiver module adopts dual MPO12/APC interface, enabling versatile deployment ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

