

# Parameters of Armored 48-core Optical Cable



## Parameters of Armored 48-core Optical Cable



Opti-Core™ Fibre Optic Indoor-Outdoor Armoured Cable 48 to 144-Fibres, EuroClass Cca and B2ca for EMEA A T A S H E E T



The singlemode fibre is G.652.D compliant low water peak grade and offers OS2 performance and OS1 backwards compatibility. These compact, lightweight cables are extremely rugged, provide rodent ...



Cable Core: Sub-units and fillers are stranded around the CSM, using reverse oscillation. A water blocking tape is applied over the cabled core with a nominal of 25% overlap.




Specifically engineered for telecom-focused indoor setups and ODF systems, our 48 Core Indoor Armored Fiber Optic Cables combine the reliability of armored fiber optic cable with the precision ...



er® is a revolutionary designed fiber optic cable that will provide the single best solution for all your fiber optic projects and usage. Micro Armor FiberT Outer Jacket 250mm Color Coded Fiber, Steel Tube, ...



Micro Armor Fiber™ The Original Stainless Steel Armor SingleMode 48 Core 250um OS2 Armored Indoor/Outdoor Plenum Fiber Optic Cable Model # TF48.



Armored cables include a copolymer-coated corrugated steel tape armor layer. ...



This kind of cable is specifically used for self supporting aerial installation. The metal strength member is made up of stranded wires as the supporting part are completed with a polyethylene (PE) sheath ...



Fiber OSP cable, TeraSPEED® Single Jacket/Single Armor, Gel-Free, 48 fibers, Stranded Loose Tube, Composite OM4 and G.652.D and G.657.A1, Feet jacket marking, Black jacket color



Armored cables include a copolymer-coated corrugated steel tape armor layer. The cable is jacketed with a black UV-resistant polyethylene sheath. The 12-fiber ribbons have readily identifiable ribbon ...



Fiber Cable, Singlemode, 48 ct., Single Armor, Single Jacket, Loose Tube, Low Water Peak, Dry/Dry. Price Per Ft. Our reels have a manufacturing variance of up to 5%, you will be billed for the quantity ...



Length of cable: generally is 2KM/Drum, can be customized. Cable printing: standard printing or can be customized. Other requirement: can be negotiated. Cable marking The cable sheath shall be marked ...

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: [sales@indzawo.co.za](mailto:sales@indzawo.co.za)

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

