



Performance Comparison of 1550nm Polarization-Maintaining Fiber with Imported Brands





Polarization Maintaining (PM) fibers are designed with high performance properties including excellent birefringence and low attenuation. Corning offers the broadest portfolio of PM fibers from ...




Our standard Gyro fibers offer high birefringence and PER, and the Short Beat Length Gyro fibers offer excellent birefringence and PER for the best coil performance. Our radiation-tolerant fibers are ...




The F-PM1550 Polarization Maintaining Fiber offers low attenuation and excellent birefringence for high performance applications. This Corning PANDA PM fiber ...



Optimized for use at 1550 nm, these fibers are used in all PM applications for data and telecom. Coherent has applied its unique manufacturing facility and capabilities to this product area and has ...



Description: 1550nm Polarization Beam Splitter, 0.5W power, P grade, PM fiber at port 3, and slow axis aligned to port 1, with 0.9mm OD loose tube, 1.0m fiber length, and FC/APC connectors at all ports.




The Polarization Maintaining Isolator & BPF, a two port micro-optic device built with PM panda fiber is a combination of a BPF and an isolator in a compact package. ...



PANDA Polarization Maintaining (PM) fibers are designed with high performance properties including excellent birefringence and low attenuation. Corning offers the broadest portfolio of PANDA PM fibers ...



Description: 1550nm Polarization Maintaining single stage Isolator - 300mW, P grade, both axis working, 1.0m Fiber length with 0.9mm OD loose tube, and FC/APC connectors at all ports.



The result can be a shorter beat length that reduces the bend-induced coupling between polarization states compared with conventional PM fibers and a much reduced thermal sensitivity of birefringence.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

