

**Power grid dedicated QSFP-DD  
optical module 200G shipped  
worldwide**



## Power grid dedicated QSFP-DD optical module 200G shipped worldwide



The emerging OIF 400ZR and Open ZR+ MSA coherent transceivers in QSFP-DD and OSFP form factors generally have low transmit output power (-10 dBm), making them incompatible with ROADMs ...




The QDD-200G-SR8 Transceiver is designed to transmit and receive serial optical data links up to 28 Gb/s data rate (per channel) over multi-mode fiber. It is a small-form-factor hot pluggable transceiver ...



The emerging OIF 400ZR and Open ZR+ MSA coherent transceivers in QSFP-DD ...



Shop 200G QSFP-DD optical transceivers designed for 400G/800G host ports. These modules utilize a 4x50G PAM4 electrical interface, providing 200GbE connectivity for flexible, future-proof network ...



The 200G QSFP-DD 2SR4 compatible QSFP-DD transceiver is designed for multimode fiber (MMF) connections, supporting link lengths of up to 100 meters using MTP/MPO-24/UPC connectors.



Backed by three cutting-edge production facilities and a dedicated engineering team of over 400 professionals, we specialize in high-capacity 100G and 200G optical interconnects (QSFP28, ...



The Customized QSFP-DD transceiver supports up to 100m link lengths over multimode fiber (MMF) via MTP/MPO-24/UPC connectors. This transceiver is compliant with IEEE 802.3bm and QSFP-DD ...



Gigalight's GQD-SPO201-LR4CZ 200GE QSFP-DD Optical Transceiver modules are designed for using in 200Gigabit Ethernet 10km links over SMF single-mode fiber. They are compliant with the QSFP ...



Buy now, ships today. QSFP-DD-200G-SR8-MSA-AT - Transceiver Module General Purpose 200Gbps 850nm MPO-16 Pluggable, QSFP-DD from ATGBICS. View datasheets, pricing and availability from ...



Cisco offers a comprehensive portfolio of QSFP-DD modules across copper, multimode fiber, and single-mode fiber, optimized for a broad range of applications and distances, leveraging NRZ, PAM4, and ...



These 200G Q-DD AOCs automatically configure a Q-DD port to operate in 4-channel QSFP56 mode. Because of the 2xQSFP28 ends, this limits the Q-DD port to 200G (2 channels of 100G each).

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: [sales@indzawo.co.za](mailto:sales@indzawo.co.za)

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

