






Price of Explosion-proof Cable Tray Connectors



Price of Explosion-proof Cable Tray Connectors

	<p>TECK0501 C-HINDS 1/2 AL CAB FTG FOR TECK CAB JACKET OD 0. Can't find what you are looking for? Please fill out our non-stock/special order form and we'll get right back to you. Thanks!</p>
	<p>Appleton® 20PX2KX0505 PX2KX Explosionproof Compound Barrier Cable Connector, 1/2 in Trade, 20 Cable Openings, Brass, Nickel Plated SKU 743216 MFR # 20PX2KX0505 \$119.83 /ea</p>
	<p>Explosion-Proof Cable Connectors Items 39 Sort By Thomas and Betts T& B® Fittings Star Teck® ST150-473 Teck Cable Fitting, 1-1/2 in Trade,... MPN # ST150-473 \$140.6854 / EA In Stock Online ...</p>
	<p>Description: T& B HLT125 Aluminum Fitting Explosion-Proof Tray Cable- 1-1/4" In Technical Description: Tray Star Connector UPC: 78621030861 Part Number: HLT125 Manufacturer: THOMAS AND ...</p>
	<p>Tray Cable Connector, Explosion-Proof, Size 2 Inch, Cord Range 1.40 - 1.74 Inch, Aluminum, Type TC Cable Connectors are Suitable for Use With Type (TC) Tray Cable and Flex Cord in Ordinary, Wet, ...</p>



T& B® Silver Grip® TCF050-78AL TCF® Tray/Cord Connector, 1/2 in Trade, 0.66 to 0.78 in Cable Openings, Copper-Free Aluminum MFG Part #:TCF050-78AL Call for Pricing Compare Add to List ...



Add to Compare Appleton® APPLETON TC100104 ALUMINUM TRAY CABLE FITT Stanion #TC100104APP MFG #TC100104 UPC #781381246316 UOMEA



T& B® Silver Grip® TCF050-78AL TCF® Tray/Cord Connector, 1/2 in Trade, 0.66 to 0.78 in Cable Openings, Copper-Free Aluminum MFG Part #:TCF050-78AL Compare



T& B® Werner Electric Supply Company Website Fittings & Connectors Flexible Cord & Cable Fittings Explosion-Proof Cable Connectors Product Category

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

