

Red light source $\pm 0.05\text{dB}$ accuracy overseas warehouse



Red light source $\pm 0.05\text{dB}$ accuracy overseas warehouse



The detection distance is about 25km Stable and strong light source and strong penetrating power
★ The detection distance depends on factors such as fiber bending, connector, quality, etc.



The detection distance is about 25km Stable and strong light source and strong penetrating power
★ The detection distance depends on factors such as fiber ...



Custom laser designs: Red, Green or Blue barrier lines for color separation. 10 times brighter but still eye safe. CL150 Line Lens generates a 1" wide laser line. This makes the standard 1/8" wide laser ...




This guide explains Unified Glare Rating (UGR) importance for industrial lighting. Get specific UGR targets for factory and warehouse zones, plus strategies for glare control and design ...




In order to satisfy different application scenario needs, Dimension developed 4 kinds of stable light sources: DFB laser source, FP laser source, SLED broadband light source, and ultra-narrow ...



The StellarNet calibration facility has a variety of NIST traceable ultra-stable light sources, including UV Deuterium & VIS-NIR Tungsten Halogen ...




The StellarNet calibration facility has a variety of NIST traceable ultra-stable light sources, including UV Deuterium & VIS-NIR Tungsten Halogen covering 200-2500nm range.



The Tunable Laser System is the all in one tunable light source system by Spectrolight. It enables easy yet precise selection of a broad spectral range of 410 - 1700 nm.



VIAVI offers a multiplexed and individual output low power LED as part of the general-purpose light sources (mSRC) in the MAP portfolio. The LEDs are offered at the common multimode wavelengths ...



The TLCS-300 is a tuneable LED colour source and also a variable luminance standard. Two light sources are supplied with the TLCS-300: an LED module and a QH source. The accuracy of any ...



Find your red light source easily amongst the 19 products from the leading brands (OVIO INSTRUMENTS, Gigahertz Optik, AMS, ...) on DirectIndustry, the industry specialist for your ...



For the ultimate in color tunability and accuracy, the SpectralLED[®] Tunable uniform light source incorporates 34 discrete LED channels and two broadband white channels for synthesis of ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

