



# **Single-mode 100Mbps fiber optic transceiver B-end**




## Single-mode 100Mbps fiber optic transceiver B-end



The 1000BASE-ZX SFP operates on standard single-mode fiber-optic link spans of up to approximately 70 km in length. The SFP provides an optical link budget of 21 dB, but the precise link ...



It uses LC connectors, operates at a 1310nm wavelength, and supports long-distance data transmission up to 100 kilometers, ideal for extending 100Mbps Ethernet links over significant distances.



**100% MSA UNCODED SFP TRANSCEIVER:**  
Designed, programmed and tested to work with compatible MSA Compliant switches and routers to deliver reliable 100MbE connectivity



Mouser offers inventory, pricing, & datasheets for 100 Mb/s Singlemode Transceivers Fiber Optic Transmitters, Receivers, Transceivers.



PLANET™ 100Mbps Fast Ethernet SFP Fiber Transceiver utilizes a wavelength of (1310nm) FP LD, which enables a data transmission of up to 2km on a multimode optical fiber and up to 60km on a ...




FS offers a range of fast Ethernet 100M SFP transceiver modules, high performance and small form-factor pluggable, which provides flexibility for using fiber Gigabit connections in both data and ...



PLANET™ 100Mbps Fast Ethernet SFP Fiber Transceiver utilizes a wavelength of (1310nm) FP LD, which enables a data transmission of up to 2km on a multimode ...




Planet Technology USA's MFB-TF20 is an Extended Temperature 100Mbps Fast Ethernet SFP Fiber Transceiver (-40 to 75°C) that utilizes a wavelength of (1310nm) FP LD which enables a data ...



Industrial 100Mbps SFP modules for reliable fiber connectivity. Available in multi-mode and single-mode options for switches, media converters, and industrial Ethernet devices.



Typical Applications Description what this product does nvert 100BASE-FX fiber to 10/100Base-TX copper media or vice versa. Adopting WDM technology, WI-MC101M takes only one fiber cable to t ...



The SFP transceiver module supports a maximum distance of up to 10 km (6.2 mi) and delivers dependable 100 Mb Ethernet connectivity over fiber cabling. This SFP fiber module is hot-swappable, ...

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: [sales@indzawo.co.za](mailto:sales@indzawo.co.za)

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

