



Solution Server Rack Cold Aisle IP65



Solution Server Rack Cold Aisle IP65



The goal of a hot or cold aisle configuration is to conserve energy and lower cooling costs by managing air flow. Designing the proper containment system requires lining server racks in rows (or aisles) with ...



The CAC System Foundation In standard data center configurations, server racks are arranged in alternating rows where server fronts (air intakes) face each other across cold aisles, while server ...



Our modular systems provide flexible, secure separation between hot and cold aisles or controlled zones to maintain optimal environmental performance.



Hot and cold air containment systems designed to maximize cooling predictability, capacity, and efficiency at the rack, row or room level.



AZE offers smart modular customizable hot and cold aisle containment solutions ...



Adaptable to hot and cold aisle containment, the Vertiv Aisle Containment system allows you to deploy containment before or after racks are installed to simplify installation and speed deployment of new ...



The goal of a hot or cold aisle configuration is to conserve energy ...



AZE offers smart modular customizable hot and cold aisle containment solutions with 42U to 52U floor standing server rack enclosures. Save energy, reduce hotspots and improve airflow with data center ...



Upsite Technologies' AisleLok server rack baffles and sliding doors allow you to maintain optimal hot & cold aisle separation and improve your data center airflow management.



Cold Aisle Containment for rack cabinets with single or double sliding doors and sliding roof frame units fabricated out of aluminium, with polycarbonate panel material and fire nozzle entry sections.



Keep your server rack aisles cool to prolong network equipment life and data center efficiency. Full scale aisle containment solutions. Modular kits for every edge-of-network application.



This solution captures many requirements typically placed on the building shell and places it closer to the equipment. This includes busway, conveyance, docking, and other ancillary items.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

