

Standard Size of Fiber Optic Cable Connectors for Home Use



Overview

SC or Standard Connector, introduced in 1991 is one of the oldest fiber connectors. Unlike the LC connector, it has a push-pull lock system which ensures durable connections. The applications of this connector are in common video and audio cables. It is easy to use and can be connected or disconnected with a simple push or pull, respectively. LC or Lucent Connector (lucent means light bearing in Latin), is smaller in size as compared to the others. It features a 1.25mm ferrule made from ceramic material. A 'ferrule' is a tiny tube or a mechanical fixture that protects the exposed/stripped fibers of the cable. It is inserted into devices which provides the interface for the device and this is one of the basic differences between these two connectors. The SC connector has a ferrule size of 2.5mm while the LC features a 1.25mm ferrule which is exactly half the size of the SC connector. Because of the smaller size, LC connector is more commonly used in offices and data centers where there are clusters of Fiber Optic Cables and

space. SC comes with a push-pull lock system while LC has a latched-style locking system. LCs have an innovative style and that is why their demand is higher. Whereas the design of SC is easy to use and ensures strong connections. As mentioned earlier, LC connectors are relatively new. SC connectors are widely in use all across the world, but LCs are also catching up. The insertion loss (the loss of signal or data packets) and return loss (measurement of the amount of light that is reflected back toward the source) capabilities are the same for these two fiber optic connecto.

Standard Size of Fiber Optic Cable Connectors for Home Use




These connectors are crucial in connecting fiber optic cables and enabling high-speed data transmission between devices. In this blog, we will cover everything from their design and size ...



Match fiber size with connector type, splicing tools, and application environment. Use visual and tabular charts to quickly compare fiber specs and simplify cable selection.



Single mode uses a 9/125 connector, which refers to the core and cladding diameter of the optical fiber (i.e. core of 9 μm and cladding of 125 μm). Multimode fibers require either a 50/125 μm ...



SC connectors, also known as Subscriber Connectors, Square Connectors or Standard Connectors are non-optical disconnect connectors with a 2.5mm pre-radius-ed zirconia ferrule. They ...



The most commonly used fiber optic connectors are LC and SC connectors due to their reliability, ease of use, and compatibility with both single-mode and multimode fiber optic cables.



Learn how to select and test LC, SC, and ST connectors for reliable fiber optic cable assemblies. Includes polish types, OFC specs, and transceiver pairing tips.



Compare LC, SC, FC & ST fiber-optic connectors — size, coupling, and ideal use cases — to help you choose the best fit for your network setup.



Discover the common fiber connector types. Learn the differences, uses, and best practices for SC, LC, ST, FC, MPO/MTP connectors.



A fiber connector is a precise coupling device to join fiber cables quickly. This guide introduces LC, SC, FC, ST, MPO, CS and many others.



Discover the comprehensive guide on fiber connector types including LC, SC, ST, FC, MTP/MPO, and more. Learn about optical fiber termination types, fiber optic cable connectors, and ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: sales@indzawo.co.za

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

