


## Switch optical port communication disconnected



### Overview

Too many SFP pro-actively replaced while the problem lies outside the SFP or switch. To resolve this issue: Identify the node and switch port involved in the communications failure. The information in this document is based on all Catalyst 9000 Series switches. If I unplug my device and try something else, it might work. I then take that non functioning device and plug. port is disconnected due to optical module faulty (0xF0060004) on port is disconnected.



## Switch optical port communication disconnected



Test by sending pings from the OLT management interfaces to endpoints like the core router or PON optical splitter. If pings reach the optical splitter but individual ONTs are unreachable, ...



According to the port map, these ports are listed as disconnected. I have reset the switch (a few times, throughout this whole process). Admittedly, I'm a novice when it comes to this equipment. I'd hate to ...



Even when the switch can notify about the violation of these thresholds, this is not always the case, making the problem harder to detect. To circumvent this, creating an Embedded Event ...



This article explains how to troubleshoot Fibre Channel node to switch port or SFP communication problems by elimination.



I have an extreme switch recently configured, the optical port is not working very good. The link state is always active for a while (couple of hours to couple of days), and then change to link ...



Don't let optical network terminal (ONT) problems disrupt your fiber-optic experience. At BroadbandSearch, we developed this guide to help you avoid unnecessary service calls and prevent ...



How to troubleshoot a fiber optic transceiver? This article will focus on how to troubleshoot and resolve transmission, information reading, and hardware failures of the optical module.



It just happens that at some point the stack switch #2 stops receiving/processing signal on all optical ports at once. Note that we've also ...



It just happens that at some point the stack switch #2 stops receiving/processing signal on all optical ports at once. Note that we've also replaced the SFP modules on the ring side.



Use the idle optical module on the storage device to exchange with PO and check whether the fault is rectified. If the fault persists, it indicates that the optical module is not faulty.



This document describes how to determine why a port or interface experiences problems.

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: [sales@indzawo.co.za](mailto:sales@indzawo.co.za)

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

