Indzawo Optic Connect


Three-year warranty cold aisle explosion-proof type





© 2026 Indzawo Optic Connect - All rights reserved

Three-year warranty cold aisle explosion-proof type

	This guide explains the major certification systems and breaks down the meanings behind their explosion proof ratings so you can choose the right equipment with confidence.
	Explore explosion-proof enclosure price ranges, materials, sizes, and lead times. Compare steel, aluminum, and polycarbonate hazardous-area enclosures.
	Explosion-Proof Straight Blade Receptacle. 20 Amps. 125V AC. EFSR Series. NEMA 5-20R, 2-Wire, 3-Pole. 1-Gang, Spring Door. Malleable Iron. For use with EFD Type Outlet Boxes.
	Using high-tech anti-corrosion surface treatment technology, explosion proof LED light is suitable for long-term highly corrosive environment of offshore oil platforms, oil drilling platform, chlor-alkali, ...
	Learn everything about explosion proof enclosures for hazardous areas—design, certification, and industrial applications with ATEX, IECEx, and Class I Div compliance.

© 2026 Indzawo Optic Connect - All rights reserved



BT35 Explosion-Proof Axial Flow Fan ventilates hazardous zones, removing flammable gases and vapors to avert explosions.



Spike UL Certified ECP Series explosion-proof enclosures for hazardous locations. 40 sizes, fast lead times, optional drilling & tapping. Contact ...



OE and EKC conduit bodies are certified for use in Class I, Division 1 and Class II, Division 1 hazardous areas.



Explore Appleton hazardous location enclosures for Class I, II, and III areas. Explosion-proof protection for oil, gas, and industrial systems.




Prevent the triggering of an explosion inside or outside of the unit with Thermo Scientific™ Explosion-Proof Refrigerator/Freezers. Suitable for use in Class I, ...



Type ''CTRL+SHIFT+DELETE'' and check ''Cookies'' and ''cache'' options, with time lapse equal to ''All the period'' and type ''Clean''. Please restart your browser and try again. If the error persists contact the ...

© 2026 Indzawo Optic Connect - All rights reserved

	Killark GRSS-2 3/4" Explosion-Proof Conduit Body Technical Description: Electrostatically Applied Powder Coated Copper Free Aluminum Material; Square Shape; 3/4 Inch Hub Size; 7 Hub (S); UL, ...
	Our company has been established for 10 years since 1999. We furnished high-quality products and excellent service based on newest design and modern production technology.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: https://www.indzawo.co.za
Email: sales@indzawo.co.za
Phone: +27 71 296 8473
Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

© 2026 Indzawo Optic Connect - All rights reserved