Indzawo Optic Connect

Uplink bandwidth aggregation switch



Overview

This guide provides configuration requirements, supported models, best practices, and deployment examples to help users integrate link aggregation seamlessly with switches in enterprise Wi-Fi environments. Switch-to-Switch Aggregation: This is useful in scenarios where you need to interconnect multiple switches to increase the bandwidth available between them and ensure network redundancy. It helps in managing higher traffic loads between switches. The Pro Aggregation does this with it's SFP28 25Gbps ports. The regular Aggregation switch is best used to connect all devices in a rack. Optimizes critical services with QoS, traffic shaping, multicast support, and ISM VLAN for enhanced efficiency The SIM feature enables managing multiple switches as a virtual stack with a single IP, supporting diverse management tools AC or DC RPS options ensure uninterrupted operation and boost. IEEE 802. 3ad link aggregation enables you to group Ethernet interfaces to form a single link layer interface, also known as a link aggregation group (LAG) or bundle. This increases the total available bandwidth, provides redundancy in case of link failure, and ensures more stable wired performance in.

© 2026 Indzawo Optic Connect - All rights reserved

Uplink bandwidth aggregation switch



The goal is to use link-aggregation for a server so that he has two connections to the same switch. Of course the upstream link is shared between the two bundled ports and the ...



WISI''s innovative Novalink Outdoor Aggregation Switch is meticulously crafted to cater to the needs of network providers leveraging 1G/10G/25G and 100G interfaces for seamless interconnection and ...



Learn how to use Link Aggregation between UniFi switches or clients to increase bandwidth and redundancy. Everything you need to know.



The 100M-10G auto-sensing ports optimize speed while 25G-capable uplinks handle heavy traffic. Perfect as a core switch for SMBs, enterprise aggregation, or Metro Ethernet edge, it combines rich ...



They feature a 10GbE primary uplink and a 1GbE secondary port for redundant power and data when connected to separate switches. With Multi-Link Operation (MLO), they optimize traffic across all ...

© 2026 Indzawo Optic Connect - All rights reserved



In this example, we use the GWN7664 access point connected to a GWN7822P switch. The goal is to demonstrate a practical configuration using two Ethernet cables to create a logical ...



Aggregating multiple links between physical interfaces creates a single logical point-to-point trunk link or a LAG. The LAG balances traffic across the member links within an aggregated Ethernet bundle and ...



By providing dual uplink paths and maximizing bandwidth utilization, MLAG enhances network redundancy and performance. Here''s how: MLAG enables the aggregation of multiple ...



An Aggregation or "Top-of-Rack" switch is designed to connect everything in a rack at high speeds, then have an even bigger pipe out to the rest of the network. The Pro Aggregation does this with it''s ...



Port aggregation can increase maximum throughput, and allow for network redundancy. It does this by splitting traffic across multiple ports instead of forcing clients to use a single uplink port on a switch.

© 2026 Indzawo Optic Connect - All rights reserved

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: https://www.indzawo.co.za
Email: sales@indzawo.co.za
Phone: +27 71 296 8473
Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

© 2026 Indzawo Optic Connect - All rights reserved