Indzawo Optic Connect


Venezuelan Pluggable Optical Module 25G Available Now





© 2026 Indzawo Optic Connect - All rights reserved

Venezuelan Pluggable Optical Module 25G Available Now

	25G 850nm SFP28 Optical Transceiver M12 to RJ45 IP67 Cat6a Cable [Right Angle, Atlas/Helios Side] – 5m, Dark Green ix Industrial Ethernet Cat6a Cable – 2.0m, Black
	FS 25G SFP28 optical transceiver solutions offer a wide variety of high-density and low-power connectivity options for 25 Gigabit Ethernet, telecom, and data center.
	SFP28 transceiver that supports 25G connections up to 10 km using single-mode ...
	All Juniper 25G optics are compliant with key industry standards and specifications for seamless interoperability in multivendor environments and qualified for use across ACX, EX, MX, and QFX ...
	FiberMall offers 25G Optical Transceiver Modules, which is compliant with the Multi-Source Agreement using Small Form-Factor Pluggable (SFP28) footprint.

© 2026 Indzawo Optic Connect - All rights reserved



Superxon 25G SFP28 transceivers, compliant with SFP28 MSA & IEEE802.3cc, support up to 28Gbps. Hot-pluggable, 3.3V, various distances & wavelengths. Get free quote & specs.



SFP28 transceiver that supports 25G connections up to 10 km using single-mode fiber with a duplex LC UPC connector.



The Cisco® 25GBASE SFP28 (Small Form-Factor Pluggable) portfolio offers customers a wide variety of high-density and low-power 25 Gigabit Ethernet connectivity options for data center and high ...



With data throughput in excess of 28.0 Gbps per lane, our 1X (1 x lane) SFP28 Optical Module (SR/LR) is perfect for use with 25-Gigabit (25G) Ethernet and our 4X (4 x lane) QSFP28 Optical Module ...



The SR SFP28 module provides a 25 Gb optical connection using an LC duplex optical connector over one pair of OM3 or OM4 multimode fibers. The SR SFP28 module is compatible with OM3 or OM4 ...



For short reach applications, these devices are used with VCSELs and Photodectors for optical transmission over multimode fiber. Typical reach of these applications is up to 300 meters. For long ...

© 2026 Indzawo Optic Connect - All rights reserved

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: https://www.indzawo.co.za
Email: sales@indzawo.co.za
Phone: +27 71 296 8473
Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

© 2026 Indzawo Optic Connect - All rights reserved