

## Waterproof package for fiber optic splice closure



## Waterproof package for fiber optic splice closure



AFL offers robust fiber optic splice closures—including Apex® high-density and LightGuard® weathertight and sealed models—for above-ground, aerial, and buried applications.



HOLIGHT's fiber splice closures deliver waterproof, dustproof protection for outdoor cable splicing. Ideal for FTTH, FTTx, and telecom networks.



A fiber optic splice closure protects links. It's a strong box for wires. This closure has a two-part base. Plus, it includes six entry ports. Closures keep water out well. They have an IP68 rating, ensuring ...



Corning Fiber Optic Splice Closures are designed for splicing fibers in aerial, duct and buried applications.



The CraftSmart ® Splice Closure delivers robust, re-enterable protection for fiber splices in demanding outside plant (OSP) environments, including broadband, wireless, and fiber-to-the-x networks.



You need a secure Fiber Optic Splice Closure. These enclosures protect vital connections in your network. They shield 72 fragile optical fibers from harsh elements. Internal trays organize 4 cable ...



Protecting fiber connections in harsh outdoor or industrial environments requires robust, waterproof splice closures. This guide highlights five top-rated, IP-rated options designed to shield signal ...



You'll find the Fibconet dual-dome fiber optic splice closure perfect for splicing, joining, and protecting your optical fiber cables. It's designed to be waterproof and dustproof, making it ideal ...



This dome type fiber optic splice enclosure is used for fiber optic cable splicing. It is IP68 rated (waterproof and dust proof), and is suitable for outdoor aerial, pole mount, wall mount and ...

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.indzawo.co.za>

Email: [sales@indzawo.co.za](mailto:sales@indzawo.co.za)

Phone: +27 71 296 8473

Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

