Indzawo Optic Connect


Yellow Fiber Optic Connector





© 2026 Indzawo Optic Connect - All rights reserved

Yellow Fiber Optic Connector

	Use - With LC to LC termination, this quality single mode duplex fiber optic cable is specifically designed for fast 9/125 micron cable for gigabit ethernet applications
	Cable jacket colors make it faster and simpler to pinpoint which type of cable you are dealing with. Yellow, for instance, can identify a single mode cable (which it does), while orange ...
	Learn fiber optic cable, connector, and jacket color codes to ensure accurate installation, fewer errors, and better network performance.
	Yellow fiber optic cables are single mode cables, which means they transmit data through one slender string of fiberglass rather than multiple. Single mode cables are capable of near ...
	Single-mode fiber (OS1 and OS2) always comes in a yellow jacket. OS1 is used for indoor, tight-buffered cabling, while OS2 is used outdoors or in ...

© 2026 Indzawo Optic Connect - All rights reserved




A Yellow jacket universally signifies Single-mode fiber (OS1 or OS2), which has a 9µm core and is designed for long-distance, high-speed transmission using laser light sources.




Fiber optic cable jackets also have a distinct color, for instance, single mode fiber color is yellow. However, the advent of metallic connectors like the FC and ST made connector color coding ...



Fiber optic cable typically follows an industry-standard color code: a yellow jacket denotes single mode, an aqua jacket denotes multimode OM3, an orange jacket denotes multimode ...



Single-mode fiber (OS1 and OS2) always comes in a yellow jacket. OS1 is used for indoor, tight-buffered cabling, while OS2 is used outdoors or in loose-tube designs. Both are built for ...



On the right, the yellow patchcord indicates singlemode fiber and the blue connector means it is a regular PC polished connector, If it were an APC connector, it would be green.



The Hot Melt LC connector, available in both single-mode and multimode, offers all the benefits of our pre-loaded Hot Melt technology while being half the size of the SC connector.

© 2026 Indzawo Optic Connect - All rights reserved

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: https://www.indzawo.co.za
Email: sales@indzawo.co.za
Phone: +27 71 296 8473
Address: 22 Quantum Street, Midrand, 1685, Gauteng, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

© 2026 Indzawo Optic Connect - All rights reserved